

ES Series User Guide


Configurations

The Future of Sound. Made Perfectly Clear.

At KV2 Audio our vision is to constantly develop technologies that eliminate distortion and loss of information providing a true dynamic representation of the source.

Our aim is to create audio products that absorb you, place you within the performance and deliver a listening experience beyond expectations.





0 m

0 m

ES1.5

ES1.5

1 m

0,7 m

°ES1.5

 \odot

°ES1.5

 \odot

0 m

LF15

1 m

I F40

0,45 m


Count Accessory Title

- 1 Cable MH60 2 Cable LF15
- 1 Cable LF40

SUB SETUR

2





ES2.5

0,6 m

1 m

-0-

0 m

0 m

0

8

0 n

8 ES2.5

8


0,75 m 1 m

Count

- **Accessory Title** Cable MH60 1 1 Cable LF40
- KV2-H 1 (1 ES1.0 Vertical Bracket)

4






- Count **Accessory Title** 2 Cable MH60 Cable LF15
- 1 2 Cable LF40




0 n

0 m

0 m







6



The Future of Sound. Made Perfectly Clear.

KV2 Audio International

Nádražní 936, 399 01 Milevsko Czech Republic

Tel.: +420 383 809 320 Email: info@kv2audio.com

www.kv2audio.com

KVV120072-00-03-0